

## Assigned Values for Pressed Powder Pellets

### GTA-08\*-P

#### Assigned Values

Analyte	Value	Standard Deviation	Unit	Method
Li	1121	36	ppm	A
Li	1102	50	ppm	B
Na	2.58	0.11	g/100g	A
Al	7.92	0.17	g/100g	A
Si	31.88	0.66	g/100g	B
K	3.78	0.11	g/100g	A
Ca	1.20	0.05	g/100g	A
Mn	639	35	ppm	A
Fe	2.46	0.08	g/100g	A
Zn	66	4	ppm	A
Sn	154	11	ppm	B
Ta	146	11	Ppm	B
W	6	2	ppm	B

The assigned values are from the original certificate of analysis of the original powder retrieved from <http://www.geostats.com.au/certs/GTA-08.pdf> on 18.07.2023. Please also find background information from this.

List of analytical methods used as stated in the original certificate of analysis:

- A 4 Acid ICP
- B Fusion ICP

#### Document History

Version	Date	Changes applied
1.0	18.07.2023	First publication

#### Legal notice

Our order, sales and delivery conditions apply. The valid version of our general terms and conditions (status 01.09.2019) - can be found on our website: <https://www.my-standards.com/terms-and-conditions/>. They are also available on request.

\*The original manufacturer (Geostats Pty Ltd) is not liable for any issues occurring from the use of this material since they took no part in the manufacturing of the pellets.