

## Assigned Values for Pressed Powder Pellets GTA-06\*-P

### Assigned Values

Analyte	Value	Standard Deviation	Unit	Method
Li	7843	126	ppm	A
Li	8010	232	ppm	B
Na	2.34	0.05	g/100g	A
Al	8.03	0.28	g/100g	A
Si	34.5	0.7	g/100g	B
K	2.58	0.10	g/100g	A
Ca	0.17	0.01	g/100g	A
Mn	1304	56	ppm	A
Fe	0.66	<i>Indicative only</i>	g/100g	A
Zn	123	3	ppm	A
Sn	131	<i>Indicative only</i>	ppm	B
W	2.5	<i>Indicative only</i>	ppm	B

The assigned values are from the original certificate of analysis of the original powder retrieved from <http://www.geostats.com.au/certs/GTA-06.pdf> on 06.07.2023. Please also find background information from this.

List of analytical methods used as stated in the original certificate of analysis:

- A 4 Acid ICP
- B Fusion ICP

### Document History

Version	Date	Changes applied
1.0	18.07.2023	First publication

### Legal notice

Our order, sales and delivery conditions apply. The valid version of our general terms and conditions (status 01.09.2019) - can be found on our website: <https://www.my-standards.com/terms-and-conditions/>. They are also available on request.

\*The original manufacturer (Geostats Pty Ltd) is not liable for any issues occurring from the use of this material since they took no part in the manufacturing of the pellets.